

A close-up photograph of a white ceramic espresso cup filled with a golden-brown coffee, topped with a thin layer of crema. The cup sits on a matching white saucer. A silver spoon is placed on the saucer to the right of the cup. The entire set is placed on a textured, brown fabric surface. A solid red rectangular banner is overlaid at the bottom of the image, containing the text 'K100s Introduction' in white.

K100s Introduction

Product Introduction



Features:



K100S

- | |
|---|
| 1) Black powder coated cabinet with milk hose connector on both sides |
| 2) Air cooling system with fin type evaporator |
| 3) Electronic thermostat with 0-4°C temperature display |
| 4) Digital thermostat, auto defrost |
| 5) Blister white ABS inner liner and 4 adjustable feet |
| 6) Black powder coated foam door, easy to maintain clean |

Product Introduction



Technical Data

Item	Specification
Capacity(inside dimension)	6 litres
Refrigrant	R600a(12g)
Forced Air cooling	<8h
Temperature range	Under class 3: 0-4°C
Noise	Less than 45db
Color	Black powder coated
Milk hose size	7mm
N.W/G.W	14.1KG/ 16.1KG
Inner Size	W160*D130*H280mm
Product size	W220*D452*H456mm
Package Dimension	W290*D530*D525mm
Loading Qty.(20GP)	320pcs

Application to K95



K95 & K100S



K95L & K100S

Application to K90L



K90L&K100S



K90L&K100S



Suzhou Industrial Park Kalerm Electric Appliances Co., Ltd

THANKS
FOR YOUR WATCHING